## **CNC Digital Finishing**

## **Graph-X-Cutter**

**High-Performance, Affordably Priced CNC Digital Finishing** 



## **Graph-X-Cutter Specifications**

feed cutting platform. Companies looking for a versatile machine that can register, route and knife cut at high speeds will appreciate the affordable price point of the Graph-X-Cutter.

- Z-Axis Clearance: 3" (76 mm)
- Z-Axis Travel: 5" (127 mm)
- Repeatability: +/- 0.001" (0.025 mm)
- Maximum Cut/Rapid Traverse Speeds: 2500 IPM (63.5 MPM)
- Drive System X and Y Axes: Rack and Pinion
- · Drive System Z Axis: Ball Screw
- · Drives: Brushless Digital AC Servo
- Standard Work Surface: 1" Phenolic Vacuum Table
- · EZ Suite software for seamless RIP software integration



9			Table Parallel Street		
	GN		3	4	
				1	
		19/20	7	*	
				mi	D

Heavy-duty router spindle and dual tangential knives standard

## Available Spindles

- 4 HP Collet 3.0 kW
- 1.3 HP Collet 1.0 kW
- 3 HP Automatic Tool Changer (ATC) 2.2 kW

All specifications subject to change. © 2014 MultiCam, Inc. All Rights Reserved.